


## D-DS2.5

### Product information



### D-DS2.5

End cover, width: 1.5 mm, Color: gray

### Certified product



### Technical data

#### Product chart

#### Model 3D

#### Overview

color	gray
Flame retardant grade, in line with UL 94	V0
Insulation Materials	PA

#### Dimension

width	1.5mm
-------	-------

#### Environmental Conditions

Relative humidity (storage/transport)	25%~75%
Ambient temperature (execution)	-5 °C ~ 70 °C
Ambient temperature (assembly)	-5 °C ~ 70 °C
Ambient temperature (storage / transport)	-5 °C ~ 70 °C
Ambient temperature (operation)	-40 °C ~ 85 °C


**Environmental protection**

RoHS	No excessive harmful substances
REACH SVHC	Lead 7439-92-1

**Business data**

Order number	11060000147
Packing unit	100PCS
The minimum order quantity	100PCS
Product weight (without packaging)	

REVISION RECORD			
REV	ECN	DESCRIPTION	DRFT DATE







NOTES:

- 1.Dimension shall be interpreted per ASME Y14.5-2009
- 2.Pitch : 1.5mm, Poles : N=01P
- 3.Operating temperature: -40°C~+105°C
- 4.Undimensioned tolerances:

Pitch range in mm	Nominal dimension range		-	D
	Over	Under		
TO	6	TO	30	60
6	TO	10	60	100
10	24	30	100	150
±0.15	±0.20	±0.30	±0.50	±0.70
±1.00	±1.30	±2*		

5.RoHS Compliance



- 2.(Blue)
- 3.(Black)
- 4.(Green)
- 5.(Orange)
- 6.(Red)
- 7.(Transparent)
- 8.(Yellow)
- 9.(White)

DETACHED LISTS	
PART NO.:	/
APPD:	/
CHKD:	/
DRFT:	/
THIRD ANGLE PROJECTION	
NAME:	<b>DEGSON</b> <b>DEGSON GERMANY GmbH</b>
TITLE:	CUSTOMER DRAWING
DRAWING NO.:	/
DO NOT SCALE DRAWING	
REV	DO
SHEET	1/1
SCALE	1:1

A 8 7 6 5 4 3 2 1