


D-DS4

Product information



D-DS4

End cover, width: 1.5 mm, Color: gray

Certified product



Technical data

Product chart

Model 3D

Overview

color	gray
Flame retardant grade, in line with UL 94	V0
Insulation Materials	PA

Dimension

width	1.5mm
-------	-------

Environmental Conditions

Relative humidity (storage/transport)	25%~75%
Ambient temperature (execution)	-5 °C ~ 70 °C
Ambient temperature (assembly)	-5 °C ~ 70 °C
Ambient temperature (storage / transport)	-5 °C ~ 70 °C
Ambient temperature (operation)	-40 °C ~ 85 °C

Environmental protection

RoHS

No excessive harmful substances

REACH SVHC

Lead 7439-92-1

Business data

Order number

11060000158

Packing unit


100PCS

The minimum order quantity

100PCS

Product weight (without packaging)

REVISION RECORD				
REV	ECN	DESCRIPTION	DRFT	DATE



- NOTES:
1. Dimension shall be interpreted per ASME Y14.5-2009
 2. Operating temperature: -40°C~+105°C
 3. Undimensioned tolerances:

Pitch range in mm	Nominal dimension range in mm		Tolerance
	Over	Under	
6 TO 10	6 TO 10	30 TO 60	0.1/10
10 TO 24	10 TO 24	60 TO 100	0.1/10
24 TO 30	24 TO 30	100 TO 150	0.1/10
30 TO 60	30 TO 60	150 TO 300	0.1/10
60 TO 100	60 TO 100	300 TO 600	0.1/10
100 TO 150	100 TO 150	600 TO 1500	0.1/10

4. RoHS Compliance

D-DS4 - 01P - 1Y - 00A (H)
 (Series No.) (Poles) (Single Pitch) (Color) 1: (Grey)
 (RoHS) (Standard)
 00A - (Standard)
 1: (Grey)
 2: (Blue)
 3: (Black)
 4: (Green)
 5: (Orange)
 6: (Red)
 7: (Transparent)
 8: (Yellow)
 9: (White)

DETACHED LISTS	
PART NO.:	/
APPR:	/
CHKD:	/
DRFT:	/
THIRD ANGLE PROJECTION	
NAME:	DEGSON ® DEGSON GERMANY GmbH
TITLE:	CUSTOMER DRAWING
DRAWING NO.:	/
SCALE:	DO NOT SCALE DRAWING