


Overview

Product information



D-DSKK4-11060000003

End cover, Width: 2.2 mm, Color: gray

Product certification



Technical data

Product drawing

3D model

□

Environmental conditions

Ambient temperature (operation)	-40 °C ~ 85 °C
Ambient temperature (storage / transport)	-5 °C ~ 70 °C
Ambient temperature (assembly)	-5 °C ~ 70 °C
Ambient temperature (execution)	-5 °C ~ 70 °C
Relative humidity (storage/transport)	25%~75%

Environmental protection

REACH SVHC	Lead 7439-92-1
RoHS	No excessive harmful substances

Dimension

width	2.2mm
-------	-------

Overview




Insulation Materials	PA
Flame retardant grade, in line with UL 94	V0
color	Gray

Accessories

Business data

Order number	11060000003
Packing unit	50
Minimum order quantity	50
Products weight (without packaging)	6.33

General Tolerances(mm)		0.1/10	
0	>3	~	~
3	~	~	~
6	10	~	~
10	18	~	~
18	30	~	~
30	50	~	~
50	80	~	~
80	120	~	~
120	180	~	~
180	250	~	~
250	315	~	~
315	400	~	~
400	500	~	~
500	~	~	~
~	~	~	~
IT0.18	IT0.22	IT0.28	IT0.31
IT0.31	IT0.37	IT0.57	IT0.80
IT0.93	IT1.05	IT1.15	IT1.60
IT2.20	IT2.50		



1	Cover	PA66	UL94V-0
ITEM	NAME OF PART	MATERIAL	NOTES
	Operating temperature(°C)		-40~+105
	Conform to RoHS		Yes
	Standard color number:		
	PANTONE / RAL		/

MATERIAL: /
SURFACE: /

MAT NO.: /
STATUS: /
NAME: **DEGSON® DEGSON GERMANY GmbH**

Appd: LI GL 2020.06.01
CHKD: Mao J 2020.06.01
DRAWING NO.: D-DSKK4-C01
NAME: **D-DSKK4-01P-1Y-00A(H)**

DRFT:Wang LX 2020.06.01
TYPE: CUSTOMER DRAWING
SCALE: 1:1
REV TO-1
SHEET 1/1

REV	ECN	DESCRIPTION	DRFT	DATE	SIZE: A4	SCALE: 1:1	SHEET
					mm (inch)		1/1