


## Overview

### Product information



**D-DCKKB2.5-11060000232**

End cover, Width: 1.5 mm, Color: gray

### Product advantages

### Product certification

## Technical data

### Product drawing

### 3D model

### Overview

|                                           |      |
|-------------------------------------------|------|
| Insulation Materials                      | PA   |
| Flame retardant grade, in line with UL 94 | V0   |
| color                                     | Gray |

### Dimension

|        |        |
|--------|--------|
| width  | 1.5mm  |
| Height | 54.5mm |
| length | 76mm   |

### Environmental conditions

|                                           |                                                 |
|-------------------------------------------|-------------------------------------------------|
| Ambient temperature (operation)           | -40 °C ~ 105 °C ( depending on derating curve ) |
| Relative humidity (storage/transport)     | 25%~75%                                         |
| Ambient temperature (storage / transport) | -25°C~60°C                                      |

Environmental protection




|            |                                 |
|------------|---------------------------------|
| RoHS       | No excessive harmful substances |
| REACH SVHC | Lead 7439-92-1                  |

Accessories

Business data

|                                     |             |
|-------------------------------------|-------------|
| Order number                        | 11060000232 |
| Packing unit                        | 50          |
| Minimum order quantity              | 50          |
| Products weight (without packaging) | 3.87        |

| 公差/General tolerances(mm) |       |       |       |       |       |       |       |       |       |       |       |       |  |
|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------------------------------------------------------------------------------|
| 0                         | >3    | >5    | >10   | >18   | >30   | >50   | >80   | >120  | >180  | >250  | >315  | >400  | 0.1/1.0                                                                               |
| ~                         | ~     | ~     | ~     | ~     | ~     | ~     | ~     | ~     | ~     | ~     | ~     | ~     |                                                                                       |
| 3                         | 6     | 10    | 18    | 30    | 50    | 80    | 120   | 180   | 250   | 315   | 400   | 500   |                                                                                       |
| ±0.12                     | ±0.18 | ±0.22 | ±0.26 | ±0.31 | ±0.37 | ±0.57 | ±0.80 | ±0.93 | ±1.05 | ±1.15 | ±1.60 | ±2.20 | ±2.50                                                                                 |
|                           |       |       |       |       |       |       |       |       |       |       |       |       | IT7                                                                                   |



| ITEM                               | NAME OF PART | MATERIAL | NOTES   |
|------------------------------------|--------------|----------|---------|
| 1                                  | Cover        | PA66     | UL94V-0 |
| 使用温度范围 / Operating temperature(°C) |              |          |         |
| 符合RoHS环保要求 / Conform to RoHS       |              |          |         |
| 标准颜色编号 / Standard color number:    |              |          |         |
| PANTONE / RAL                      |              |          |         |

|           |   |          |   |
|-----------|---|----------|---|
| MATERIAL: | / | SURFACE: | / |
|-----------|---|----------|---|

|          |   |
|----------|---|
| MAT NO.: | / |
|----------|---|

|         |   |
|---------|---|
| STATUS: | / |
|---------|---|

|       |                          |
|-------|--------------------------|
| NAME: | D-DCKKB2.5-01P-1Y-00A(H) |
|-------|--------------------------|

|       |                  |
|-------|------------------|
| APPD: | LI GL 2020.05.21 |
|-------|------------------|

|       |                  |
|-------|------------------|
| CHKD: | Mao J 2020.05.21 |
|-------|------------------|

|      |                    |
|------|--------------------|
| DRT: | Wang LX 2020.05.21 |
|------|--------------------|

|              |                |
|--------------|----------------|
| DRAWING NO.: | D-DCKKB2.5-C01 |
|--------------|----------------|

|       |                  |
|-------|------------------|
| TYPE: | CUSTOMER DRAWING |
|-------|------------------|

|        |     |
|--------|-----|
| SCALE: | 1:1 |
|--------|-----|

| REV | ECN | DESCRIPTION | DFT | DATE |
|-----|-----|-------------|-----|------|
|-----|-----|-------------|-----|------|

D

C

B

A

D

C

B

A